

SAFETY DATA

Issue 4 July 2007

SDS No 255

ACRYLIC LATEX

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING.

Product Name: Acrylic Latex
Use: Bonder for cement mortars
Company: Tecroc Products Limited
Holly Lane Industrial Estate
Atherstone,
Warks, CV9 2RN
Tel: 01827 711755
Fax: 01827 711330

2. COMPOSITION / INFORMATION ON INGREDIENTS.

Styrene Acrylic Acid Ester Copolymer dispersion.
alpha-i-tridecyl-omegahydroxypolyglycoether
CAS 9043-30-5 (4% max)

3. HAZARDS IDENTIFICATION

On available data the product is not classified as hazardous

4. FIRST AID MEASURES

Eye Contact

Rinse immediately with water for at least 15 minutes.
Get medical attention.

Skin Contact

Wash with soap and water or skin cleansing cream

Inhalation

Move into fresh air.

Ingestion

Give plenty of water to drink. Get medical attention.
DO NOT induce vomiting. In case of spontaneous vomiting ensure vomit can drain freely to avoid suffocation.

5. FIRE FIGHTING MEASURES

Product as supplied is water based and non flammable. The dried polymer is flammable.

Suitable Extinguishing Media:

Not applicable

Exposure Hazards

Prevent contaminated water from entering drains, soil or surface water. Dispose of contaminated water and soil according to local and national regulations. Release of toxic fumes may occur. Fire fighters should wear self contained breathing equipment

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Do not breathe vapour. Wear suitable protective clothing, gloves and eye/face protection.

Environmental Precautions

Prevent contamination of soil, drains and surface water.

Methods for Cleaning

Take up with absorbent inert material. Place in closable containers. Dispose of as waste..

7. HANDLING AND STORAGE

Handling

Ensure adequate ventilation. Wear suitable protective clothing and eye/face protection. .

Storage

Keep in original container. Keep at room temperature

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Protective Measures

No special measures required.

Occupational Exposure Limits

None assigned

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Hand Protection

Wear suitable gloves (eg PVC).

Eye Protection

Wear suitable safety glasses to BSEN 166.

Skin Protection

Wear overalls and closed footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting Point/Range: N/A
Boiling Point/Range: 100°C approx as water
Oxidising Properties: N/A
Autoflammability: N/A
Solubility in Water: Miscible in all proportions
Vapour Pressure: As water
Partition Coefficient: N/A
Explosive properties: N/A
Appearance: Milky white liquid
Odour: Faint sweet
Density: 1.0 approx
Flashpoint: N/A
Ignition: N/A
pH value: 8 approx
Viscosity: c/a 10 mPas @ 20°C

Head Office
Holly Lane Industrial Estate
Atherstone
Warwickshire
CV9 2RN
Tel: 01827 711755
Fax: 01827 711330

Irish Distributor
Construction Chemical Supplies
Unit 219
JFK Road JFK Industrial Est
Dublin 12
Tel: 00 353 1 450 3896
Fax: 00 353 1 450 3298

Web site: www.tecroc.co.uk

E-mail: enquiries@tecroc.co.uk

ACRYLIC LATEX

10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	None known
Materials to avoid:	None known
Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

Health Effects

Eyes

Can cause irritation.

Skin

Can cause irritation.

Inhalation

Irritating to respiratory tract.

Ingestion

Irritating to digestive tract.

Chronic

None Known.

Other

None known.

12. ECOLOGICAL INFORMATION

Prevent contamination of soil, drains or surface water.

Mobility:	Mobile liquid.
Solubility:	Water miscible.
Persistence and Degradability:	Not expected to be readily biodegradable.
Bioaccumulative Potential:	Expected to be bioaccumulative.

13. DISPOSAL CONSIDERATIONS

Disposal must be carried out under guidance from local and national legislation.

Waste From Residues/Unused Product: Dispose of via a licensed waste contractor to a licensed disposal site.

Contaminated Packaging: Dispose of via a licensed waste contractor.

14. TRANSPORT INFORMATION

This product is not classified as dangerous for transport.

15. REGULATORY INFORMATION

Symbol Xn

Contains

Styrene Acrylic Acid Ester Copolymer dispersion. alpha-i-tridecyl-omegahydroxypolyglycoether

Risk Phrases:

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

Safety Phrases:

S1/2 Keep locked up and out of the reach of children.

S23 Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin wash with plenty of water.

S37/39 Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

These data sheets are given in connection with the product being used for the purposes outlined in the Product Technical Data Sheet, available from Tecroc Products Ltd on request. Use of the above product for other purposes may result in risks not given above.

If the product is to be used by a third party at work it is the duty of the initial recipient to ensure that the third party is supplied with the data given above.

Employers have the duty to inform employees and others who may be affected of any hazards given in the data above and any precautions that should be adopted.

Users of the product should undertake their own assessment of work place risks as required by the Health and Safety Legislation.

Further copies of this Safety Data Sheet are available from Tecroc Products Ltd.

Safety Data Sheet According to:
Directive 91/155/EEC CHIP Regulations.

Head Office
Holly Lane Industrial Estate
Atherstone
Warwickshire
CV9 2RN
Tel: 01827 711755
Fax: 01827 711330

Irish Distributor
Construction Chemical Supplies
Unit 219
JFK Road JFK Industrial Est
Dublin 12
Tel: 00 353 1 450 3896
Fax: 00 353 1 450 3298

Web site: www.tecroc.co.uk

E-mail: enquiries@tecroc.co.uk